Application No. 09/998,855
Response Dated: November 5, 2004
Reply to Office Action Dated September 8, 2004

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A catalyst composition comprising a polymerization catalyst and at least one gelling agent; wherein the gelling agent is selected from of the group consisting of: diester phosphates, steroid and anthryl derivatives, amino acid-type gelators, and quaternary alkylammonium salts; tetraoctadecyl ammonium bromide, and wherein said polymerization catalyst is selected from the group consisting of conventional-type transition metal catalyst compounds and metallocene catalyst compounds.

2. (Cancelled)

3. (Currently Amended) The catalyst composition of claim 1 wherein the gelling agent is selected from the group consisting of: tetraoctadecyl ammonium bromide, dihexadecylaluminum ortho phosphate, 2,3-bis-n-decyloxy-anthraquinone, (OH)Al(ROPOR')₂; (Et)Al(ROPOR')₂; (Et)Al(ROPOR)₂; and Mg(ROPOR')₂, where R is C₁₂₋₂₀H₂₁₋₃₇ R' is CH₃, 2,3-bis-n-decyloxy-anthracene, cholesteryl 4-(2-anthryloxy) butanoate and cholesteryl anthraquinone-2-carboxylate.

(Cancelled)

5. (Currently Amended) The catalyst composition of claim 1 wherein the polymerization catalyst is a supported polymerization catalyst comprising a carrier, wherein said support is selected from the group consisting of tale, inorganic oxides, and inorganic chlorides.

2000U055.US.1.111.11.5.04.doc

Application No. 09/998,855
Response Dated: November 5, 2004
Reply to Office Action Dated September 8, 2004

- 6. (Currently Amended) A method for making a catalyst composition, the method comprising the steps of:
 - (a) forming a polymerization catalyst; and
 - (b) adding at least one gelling agent, wherein the gelling agent is selected from of the group consisting of diester phosphates, steroid and anthryl derivatives, amino acid-type gelators, and quaternary alkylammonium salts tetraoctadecyl ammonium bromide, and wherein said polymerization catalyst is selected from the group consisting of conventional-type transition metal catalyst compounds and metallocene catalyst compounds.
- 7. (Currently Amended) The method of claim 6 wherein the polymerization catalyst comprises a carrier, and wherein the gelling agent is selected from the group consisting of dihexadecylaluminum ortho phosphate, 2,3-bis-n-decyloxy-anthraquinone, (OH)Al(ROPOR')₂; (Et)Al(ROPOR')₂; (Et)Al(ROPOR)₂; (Et)Al(ROPOR')₂, and Mg(ROPOR')₂, where R is C₁₂₋₂₀H₂₁₋₃₇ R' is CH₃, 2,3-bis-n-decyloxy-anthracene, cholesteryl 4-(2-anthryloxy) butanoate and cholesteryl anthraquinone-2-carboxylate.
- 8-18. (Cancelled)
- 19. (Previously Presented) The method of Claim 6, wherein step (b) takes place in a liquid prior to addition to a polymerization reactor.
- 20. (Previously Presented) The method of Claim 19, wherein the liquid is selected from the group consisting of mineral oil, toluene, hexane, isobutene, and mixtures thereof.
- 21. (Cancel)
- 22. (Cancel)

2000U055.US.1.111.11.5.04.doc

Application No. 09/998,855 Response Dated: November 5, 2004 Reply to Office Action Dated September 8, 2004

23. (New) The catalyst composition of claims 1, 3, 5, 6, 7, 19, 20, or 23, wherein said gelling agent excludes mono- or di- or tri-carboxylic acid salt with a metal portion from the Periodic Table of Elements.